BEST AVAILABLE COPY

Jul-05-2005 02:06pm From-MOTOROLA

18475763750

T-585 P.001 F-826



Motoroia, Inc.

RECEIVED

Intellectual Property Section CENTRAL FAX CENTER

Law Department

JUL 0 5 2005

1303 E. Algonquin Rd. Schaumburg, IL 60196

Telephone:

(847) 576-3635

Facsimile:

(847) 576-3750

Number of Pages (including this page)

Date:

<u>July</u> 5, 2005

To:

Examiner Perez, A. - Group 2684

Location:

United States Patent and Trademark Office

Fax No.:

703-872-9306

From:

Steven A. May (Registration No. 44,912)

Subject:

Serial No. 09/886,642 –Vukovic et al.

NOTICE: This facsimile transmission may contain information that is confidential, privileged, or exempt from disclosure under applicable law. It is intended only for the person to whom it is addressed. Unauthorized use, disclosure copying or distribution may expose you to legal liability. If you have received this transmission in error, please immediately notify us by telephone (collect) to arrange for return of the documents received and any copies made. Thank you.

MESSAGE:

Enclosed herewith, please find a APPEAL BRIEF UNDER 37 C.F.R. 1.192 for filling in the below-identified application. (3Lpp es)

PLEASE GIVE THESE PAPERS TO

EXAMINER:

Perez. A.

GROUP ART UNIT:

2684

SERIAL NO.:

09/886,642

FILED: INVENTOR:

June 21, 2001 Vukovic et al.

ATTORNEY DOCKET NO .:

CE08410R

005 02:06pm From-MOTOROLA	18475763	I	T-585	P.002	F-826		
	Application Number	642					
	Filing Date	June :	1, 2001				
TRANSMITTAL	First Named Inventor	. Vukov	c et al.				
FORM	Group Art Unit	2684					
(to be used for all correspondence after initial filling)	Examiner Name	Perez,					
Total Number of Pages in this Submission 4	Attorney Docket Number	CE084	10R				
X Fee Transmittal Form	ENCLOSURES		(check all that apply)				
Fee Transmittal Form Fee Attached Amendment/Reply After Final Affidavits/Declaration(s) Extension of time Request Express Abandonment Request Information Disclosure Statement Certified Copy of Priority Documents	Assignment Papers (for an Application) Drawing(s) Licensing-Related pape Petition Petition to Convert to a Provisional Application Power of Attorney, Revoca Change of Correspondence Address Terminal Disclaimer Request for Refund	X	Comn Appeal of Appeal Appeal (Appeal Proprie Status L Other En Resi RCi Cop Tram	After Allowance Communication to Group Appeal Communication to Boal of Appeals and Interferences Appeal Communication to Group Appeal Notice, Brief, Reply Brief) Proprietary Information Status Letter with appropriate copi Other Enclosure(s) (please Identify beil Response to Restriction Requirement Associate Power of Attorney RCE Copy of Notice to File Missing Par Transmittal of Formal Drawings Response to Notice of Non- Recordation of Document			
Response to Missing Parts/	CD, Number of CDs						
Response to Missing Parts Under 37 CFR 1.52 or 1.53	emarks	,					
SIGNATURE O	F APPLICANT, ATTORNI	EY, OF	AGEN'	T _.			
ndividual Steven A. May		R	egistratio	on-No.	44,912	1	
Signature),						

CERTIFICATE OF TRANSMISSION

Date

July 5, 2005

I hereby certify that this correspondence is being facsimile transmitted to Commissioner for Patents, P.O. Box 1450.

Alexandria, VA, on the date listed below:

Typed or printed name Nanette Orr

Signature

									
I TDANGMITTAL [1				mplete if Known			
		Application Number		09/	09/886,642				
		Filing Date		Jun	June 21, 2001 RECEI		RECEIVED	VED	
Patent fees are subject to annual revision E.		First Named Inventor		Vuk	/ukovic et al. CENTRAL FAX CENT			TER	
		Examiner Na	τ	ez, A.					
		Group Art Unit 268)	
TOTAL AMOUNT OF PAYMENT	(\$)				08410R				
METHOD OF PAYMENT			1	LOE		FOAL	OUT ATTOMA OF THE		
The Commissioner is hereby authorized to charge indicated fees and			2 400	TION	_		CULATION (continued)	_	
credit any overpayment to:	3. ADDITIONAL FEE				neji				
Deposit Account Number		Ent			li)x				
Deposit Account Name	Motorola, Inc.		Fee	Foe	Fee	Fee			
Charge Any Additional Fee required up	der 37 CED 1 18 and 1 19		Code	(5)	Code	(5)	Fee Description		
X Charge Any Additional Fee required under 37 CFR 1.16 and 1.17 Applicant claims small entity status. See 37 CFR 1.27			1051 1062	130 50	2051	65	Surcharge - late filing (ee or path		
			1053	130	2052 1053	25 130	Surcharge – laté Provisional filing Non-English spacification		
			1812	2520	1812	2520	For flung a request for ex parts		
2. Payment Enclosed:			1804	920*	1804	920*	Recognition		
Check Credit Card	Money Order	Other					Requesting publication of 61R prior to Examiner action		
	· I would draw [Onlet	1805	1840*	1805	1840*	Requesting publication of SIR after Examiner action		
FEE CALC	ULATION		1251 1262	110	2251	55	Extension for raply within first month		
	OEK HON		1252	420 930	2252 2253	205 465	Extension for reply within second month		
1. BASIC FILING FEE			1254	1450	2254	725	Extension for reply within third month Extension for reply within fourth month	-	
Large Entity Small Entity			1255	1970	2255	986	Extension for roply within fifth month	-	
Fee Fee Fee	•		1401 1402	320 320	2401	160	Notice of Appeal		
Code (\$) Code (\$)	Fee	Pald	1403	280	2402 2403	160 140	Filling a prief in support of an appeal Request for oral hearing	-	
1001 770 2001 375			1451	1510	1451	1510	Pedilion to institute a public use proceeding		
1001 770 2001 375 1002 330 2002 165	Utility filing fee Design filing fee		1452 1453	110	2452	55	Petition to revive - unavoidable		
1003 520 2003 260	Plant filing fee		1501	1300 1300	2453 2501	660 650	Patition to revive - unintentional Utility issue fee (or reissue)		
1004 750 2004 375 1005 160 2005 80	Reissuo filing fee		1502	470	2502	235	Design issue fee	-	
1005 100 2003 BU	Provisional filing fee		1503	630	2503	315	Plant issue fee		
s	UBTOTAL (1) (\$) 0.00	 -	1460 1807	130 50	1460 1807	130 50	Petitions to the Commissioner		
2. EXTRA CLAIM FEES	(4)		1806	180	1808	190	Processing fee under 37 CFR 1.17(g) Submission of IDS		
Previously	Extra Foe from		8021	40	8021	40	Recording each palent assignment		
Total Claims Pald** 20 =	Claims below =	Foo Paid			,		per property (times number of property)		
Independent Claims - 3 =			1809	750	2809	375	Filling a submission after final		
Multiple Dependent			1810	750	2810	375	rejocition (37 CFR § 1.129(a)) For each additional invention to be		
Large Entity Small Entity	280 =	 	4004				exemined (37 CFR § 1.129(b))		
Foo Fee Fee		ł	1801 (RCE)	760	2801	375	Request for Continued Examination		
1202 18 2202 9 Claim	Foo Description is in excess of 20		1802	900 andina)	1802	900	Request for expedited examination		
1201 86 2201 42 Indep	endent claims in excess of 3		of a design Other fee (s		on .				
	ole dependent claim. If not paid taue independent claims over or	iningt agteer							
,									
1205 16 2206 9 Reist paten	sue cielms in excoss of 20 and c t	post original							
TOR NUMBER PREMANUELY DAIR 17 A	JBTOTAL (2) (5) 0.00		Reduced	by Bas	ic Fläna F	e paid	SUBTOTAL (3) (5)	-	
OR NUMBER PREVIOUSLY PAID, IF GREATER THU For Reissurs, see above	AN STANDARD ALLOWANCE.		, -			, - , - , -	- 101 LIVE		
SUBMITTED BY						Comp	plata (if applicable)		
Name (Print/Type) Steve A.	May -		Registratio	n No.	44,912			76-3635	
Signature		-							
7	7/					Dat	e July 5, 2005		
)							
		/							

- PATENT -

RECEIVED CENTRAL FAX CENTER

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

JUL 0 5 2005

APPLICANT:

Vukovic et al.

EXAMINER: Perez, A.

SERIAL NO.:

09/886,642

ART UNIT:

2684

FILED:

06/21/01

CASE NO.:

CE08410R

ENTITLED:

METHOD AND APPARATUS FOR ALLOGATING A COMMUNICATION RESOURCE IN A BROADBAND

COMMUNICATION SYSTEM

Motorola, Inc.
Corporate Offices
1303 E. Algonquin Road
Schaumburg, IL 60196
July 5, 2005

APPEAL BRIEF UNDER 37 CFR 1.192

Certificate of Transmission under 37 CFR 1.8

I hereby certify that this correspondence is being facsimile transmitted to the United States

Patent and Trademark Office.

Motorola, Inc.

Motoroia, inc.

2/2

Name of applicant, assignee, or Registered Representative

Signature

Mail Stop Appeal Brief - Patents Commissioner of Patents P.O. Box 1450 Alexandria, Va. 22313-1450

Commissioner:

The appellants hereby respectfully submit the following Appeal Brief in response to a final Office Action dated January 26, 2005, and a Notice of Appeal filed May 3, 2005.

REAL PARTY IN INTEREST

The real party in interest in this appeal is Motorola, Inc.

2. RELATED APPEALS AND INTERFERENCES

There are no other appeals or interferences that will directly affect, or be directly affected by, or have a bearing on the Board's decision in this appeal.

3. STATUS OF CLAIMS

This is an appeal from a final Office Action, dated January 26, 2005. Claims 1-24 are appealed. In a first Office Action dated April 21, 2004, the Examiner rejected claims 1-21 under 35 U.S.C. §102(e) as being anticipated by Bender (U.S. patent no. 6,366,779). In an Amendment dated August 24, 2004, the appellants amended each of claims 1, 3-5, 8, 10-12, 15, and 17-19 and added new claims 22-24.

Claim 1, as amended, provides a method for allocating a communication resource that comprises a reverse link traffic channel in a broadband communication system, the method including receiving a communication resource access request at a time that data received via the reverse link traffic channel is currently being demodulated and, in response to receiving the communication resource access request, transmitting a grant of access to the reverse link traffic channel.

Claim 8, as amended, provides an apparatus for allocating a communication resource in a broadband communication system, wherein the communication resource comprises a reverse link traffic channel. The apparatus includes an access request detector that detects a receipt of a communication resource access request, a demodulator that is capable of demodulating messages received via the reverse link traffic channel, and a means for generating a grant of access to the reverse link traffic channel and the demodulator in response to reception of the communication resource access request, wherein the communication resource access request is received at a time that the demodulator is engaged in a demodulation of a message received via the reverse link traffic channel.

Claim 15, as amended, provides a communication device capable of operating in a broadband communication system. The communication device includes a receiver for receiving an communication resource access request, an access request detector coupled to the receiver that detects a receipt of the communication resource access request, a demodulator coupled to the receiver that is capable of demodulating messages received via a reverse link traffic channel, a means for generating a grant of access to the demodulator in response to reception of the communication resource access request, and a modulator for modulating the access grant onto a radio frequency signal to produce a modulated access grant, a transmitter for transmitting the modulated access grant, wherein the communication resource access request is received at a time that the demodulator is engaged in a demodulation of a message received via the reverse link traffic channel.

In a final Office Action dated January 26, 2005, the Examiner rejected claims 1-24 under 35 U.S.C. §103(a) as being upatentable over Bender in view of Willeneger (PCT International Publication No. WO 00/57663). No claims were allowed. The pending claims 1-24 are reproduced below in the attached Appendix.

4. STATUS OF AMENDMENTS

A Response to the Final Office Action was filed on April 28, 2005, and is currently pending. In the Response to the Final Office Action, the appellants responded to the Examiner's rejection of claims 1-24. The Response did not amend any claims. The appellants received an Advisory Action, dated May 23, 2005. The Advisory Action did not allow any of the claims.

SUMMARY OF INVENTION

The appellant's invention provides a method and apparatus for allocating a communication resource that includes a reverse link traffic channel in a broadband communication system. The communication resource that includes the reverse link traffic channel is allocated in response to a received communication resource access request, wherein the access request is received while a message received via the

communication channel is currently being demodulated. In response to receiving the request, a grant of access to the communication channel is generated and transmitted, which grant authorizes the source of the access request to use the communication channel. Thus the idle time of the base station demodulators of the prior art, wherein a preamble sent by a mobile station is not acknowledged by the base station until a demodulator is freed up to demodulate a new message, is reduced and system throughput and capacity is increased.

Claim 1, as amended, provides a method for allocating a communication resource that comprises a reverse link traffic channel in a broadband communication system. The method includes steps of receiving a communication resource access request at a time that data received via the reverse link traffic channel is currently being demodulated and, in response to receiving the communication resource access request, transmitting a grant of access to the reverse link traffic channel. (FIGs. 4 and 5; page 4, lines 22-27; page 7, line 1 to page 9, line 17; page 9, line 18 to page 12, line 7)

Claim 8, as amended, provides an apparatus for allocating a communication resource that includes a reverse link traffic channel in a broadband communication system. The apparatus includes an access request detector that detects a receipt of a communication resource access request, a demodulator that is capable of demodulating messages received via the reverse link traffic channel, and a means for generating a grant of access to the reverse link traffic channel and the demodulator in response to reception of the communication resource access request, wherein the communication resource access request is received at a time that the demodulator is engaged in a demodulation of a message received via the reverse link traffic channel. (FIGs. 3 and 4; page 5, lines 1-10; page 7, line 1 to page 9, line 17; page 9, line 18 to page 11, line 9)

Claim 15, as amended, provides a communication device that is capable of operating in a broadband communication system. The communication device includes a receiver for receiving an communication resource access request, an access request detector coupled to the receiver that detects a receipt of the communication resource access request, a demodulator coupled to the receiver that is capable of demodulating messages received via a reverse link traffic channel, a means for generating a grant of

access to the demodulator in response to reception of the communication resource access request, and a modulator for modulating the access grant onto a radio frequency signal to produce a modulated access grant, a transmitter for transmitting the modulated access grant, wherein the communication resource access request is received at a time that the demodulator is engaged in a demodulation of a message received via the reverse link traffic channel. (FIGs. 3 and 4; page 5, lines 11-23; page 7, line 1 to page 9, line 17; page 9, line 18 to page 11, line 9)

6. ISSUES

Whether claims 1, 8, and 15 are unpatentable under 35 U.S.C. §103(a) over Bender in view of Willeneger.

7. GROUPING OF CLAIMS

Appellants designate the following group of claims: Group I: claims 1-24.

8. ARGUMENT

(i) Rejection under 35 U.S.C. §112, first paragraph:

None

(ii) Rejection under 35 U.S.C. §112, second paragraph:

None

(iii) Rejection under 35 U.S.C. §102:

None

(iv) Rejection under 35 U.S.C. §103:

The Examiner rejected claim 1-21 under 35 U.S.C. §103(a) under 35 U.S.C. §103(a) as being upatentable over Bender in view of Willeneger. More specifically, with

respect to claims 1, 8, and 15, the Examiner contended that Bender teaches a method, apparatus, and device for allocating a communication resource comprising a reverse link channel (col. 4, lines 14-18), the method comprising receiving a communication resource access request at time that data received via the reverse link channel is currently being demodulated (col. 10, lines 3-16; the Examiner noting that this step is not actually taught but it is inherent that demodulation is occurring when the channel is being used by the mobile station (MS) while the base station (BS) is receiving an access probe) and, in response to receiving the communication resource access request, transmitting a grant of access to the reverse link channel (col. 10, lines 28-33). The Examiner further stated that Bender does not teach a reverse link traffic channel request in detail, but that Willeneger teaches a reverse link traffic channel being demodulated while receiving a reverse link traffic channel request and a grant of access to a reverse link traffic channel (page 11, lines 22-24; page 12, lines 17-22).

The appellants believe that the Examiner has misinterpreted both Bender and Willeneger. In col. 4, lines 14-18, Bender merely teaches an MS initiating a reverse link traffic channel assignment request by transmitting an access probe to a BS via a reverse link access channel. In col. 10, lines 3-16, Bender merely teaches that, after transmitting its probe, the MS may begin transmitting on a reverse link traffic channel identified the MS's Mobile Station Identifier (MSI) without first waiting for a traffic channel assignment. This reverse link traffic channel is defined by the MS's MSI. Since the MSI is unique to the MS, Bender assumes that the corresponding reverse link traffic channel will be uniquely allocated to the MS and therefore there is very little likelihood that any other MS will be using this reverse link traffic channel and cause a collision. In other words, Bender teaches a "pre-assignment" of a reverse link traffic channel uniquely to the MS (col. 4, lines 56-61). This has nothing to do with an assignment of the reverse link traffic channel by the BS in response to an access probe. That is, claims 1, 8, and 15 teach an expedited assignment of a reverse link traffic channel. By contrast, Bender teaches a pre-assignment of a reverse link traffic channel. These are two completely different approaches to call set up.

Willeneger is concerned with accessing an access channel and with providing power control via the access channel. That is, Willeneger teaches a splitting of an access probe into two parts, a request portion and a message portion. An MS seeking access to a communication system first transmits the request portion of the access probe, that is, an abbreviated and incomplete version of an access probe, via a reverse link control channel (R-CCCH). Power control, a typical access probe function that is performed prior to traffic channel assingnment, may not be performed based on the request portion of the access probe. In the first section of Willeneger cited by the Examiner (page 11, lines 22-24), in response to transmitting the request, the MS monitors a forward link control channel to determine if the MS is granted a reserved access channel for conveyance of the message portion of the access probe. That is, the referenced channel assignment message assigns an access channel, not a traffic channel. In fact, Willeneger specifically states that "[o]nce the mobile station is assigned a reserved access channel, the traffic channel assignment process can proceed in much the same manner as IS-95," that is, in a conventional manner. When the MS is granted a reserved access channel, the MS may then transmit the message portion of the access probe and engage in power control via preambles transmitted via the reserved access channel. In the other, second section of Willeneger cited by the Examiner (page 12, lines 17-22), Willeneger merely teaches that, after the BS grants an access channel to the MS and receives the message portion of the access probe, the BS demodulates the message portion.

In other words, Willeneger merely concerns an MS attempting to access an access channel so that the MS may then engage in power control via preambles transmitted via the access channel. Willeneger then assumes conventional traffic channel assignment. By contrast, claims 1, 8, and 15 assume that the MS can access the access channel and transmit a preamble and instead teach an expedited process for reverse link traffic channel assignment. Nowhere is this taught by, or even a concern of, Willeneger.

Therefore, neither Bender nor Willeneger, individually or in combination, teach the features of claims 1, 8, or 15 of receiving a communication resource access request at a time that data received via the reverse link traffic channel is currently being demodulated and, in response to receiving the communication resource access request,

transmitting a grant of access to the reverse link traffic channel. Again, in Bender, the reverse link traffic channel is freed up as it has been uniquely pre-assigned to the MS. Willeneger merely teaches conventional reverse link traffic channel assignment. Accordingly, the appellants respectfully request that claims 1, 8, and 15 are not unpatentable over the prior art of record.

Regarding dependent claims 2-7, 9-14, and 16-24, because claims 2-7 and 22 depend directly or indirectly from independent claim 1, claims 9-14 and 23 depend directly or indirectly from independent claim 8, and claims 16-21 and 24 depend directly or indirectly from independent claim 15, the appellants respectfully request that claims 2-7, 9-14, and 16-24 are not unpatentable over the prior art of record.

(v) Other rejections

None.

8. CONCLUSION

For the above reasons, the appellants respectfully submit that the rejection of claims 1-24 under 35 U.S.C. §103(a) as being upatentable over Bender in view of Willeneger is in error and should be reversed and the claims allowed.

Respectfully submitted,

Ivan Wukovic et al.

Steven A. May

Attorney for Appellants

Registration No. 44,912 Tell, No.: 847/576-3635

Fax No.: 847/576-3750

APPENDIX

1. In a broadband communication system, a method for allocating a communication resource that comprises a reverse link traffic channel, the method comprising steps of:

receiving a communication resource access request at a time that data received via the reverse link traffic channel is currently being demodulated; and

in response to receiving the communication resource access request, transmitting a grant of access to the reverse link traffic channel.

- 2. The method of claim 1, wherein the access grant is transmitted prior to completion of the demodulation of the data.
- 3. The method of claim 1, wherein the step of transmitting a grant of access to the reverse link traffic channel comprises steps of:

determining a time that a demodulator will be available;

determining a time that a grant of access to the reverse link traffic channel can be transmitted based on the time that the demodulator will be available; and

transmitting an access grant based on the received request and on the determined time that the grant of access to the reverse link traffic channel can be transmitted.

- 4. The method of claim 3, wherein the step of transmitting a grant of access to the reverse link traffic channel further comprises a step of determining a time that the demodulator will finish demodulating the received message.
- 5. The method of claim 3, wherein the step of transmitting a grant of access to the reverse link traffic channel further comprises a step of determining a time interval between the time that the demodulator will be available and the time that an access grant can be transmitted.
- 6. The method of claim 1, wherein the communication resource access request is a preamble.

- 7. The method of claim 1, wherein the access grant is an acknowledgment.
- 8. An apparatus for allocating a communication resource in a broadband communication system, wherein the communication resource comprises a reverse link traffic channel, the apparatus comprising:

an access request detector that detects a receipt of a communication resource access request;

a demodulator that is capable of demodulating messages received via the reverse link traffic channel:

a means for generating a grant of access to the reverse link traffic channel and the demodulator in response to reception of the communication resource access request; and

wherein the communication resource access request is received at a time that the demodulator is engaged in a demodulation of a message received via the reverse link traffic channel.

- 9. The apparatus of claim 8, wherein the access grant is generated prior to completion of demodulation of the message.
- 10. The apparatus of claim 8, wherein the a means for generating a grant of access to the reverse link traffic channel comprises:
 - a means for determining a time that the demodulator will be available;
- a means for determining a time of transmission of a grant of access to the reverse link traffic channel based on the determined time of demodulator availability; and
- a means for generating an access grant based on the received communication resource access request and on the determined time of transmission of the access grant.
- 11. The apparatus of claim 10, wherein the means for generating a grant of access to the reverse link traffic channel further comprises a means for determining a time that the demodulator will finish demodulating the received message.

- 12. The apparatus of claim 10, wherein the means for generating a grant of access to the reverse link traffic channel further comprises a means for determining a time interval between the time that the demodulator will be available and the time that an access grant may be transmitted.
- 13. The apparatus of claim 8, wherein the access grant comprises an acknowledgment.
- 14. The apparatus of claim 8, wherein the communication resource access request comprises a preamble and wherein the access request detector comprises a preamble detector that detects a preamble in a received signal.
- 15. A communication device capable of operating in a broadband communication system, the communication device comprising:
 - a receiver for receiving an communication resource access request;
- an access request detector coupled to the receiver that detects a receipt of the communication resource access request;
- a demodulator coupled to the receiver that is capable of demodulating messages received via a reverse link traffic channel;
- a means for generating a grant of access to the demodulator in response to reception of the communication resource access request;
- a modulator for modulating the access grant onto a radio frequency signal to produce a modulated access grant;
 - a transmitter for transmitting the modulated access grant; and
- wherein the communication resource access request is received at a time that the demodulator is engaged in a demodulation of a message received via the reverse link traffic channel.
- 16. The communication device of claim 15, wherein the access grant is generated when the demodulator is engaged in a demodulation of an already received message.

- 17. The communication device of claim 15, wherein the a means for generating a grant of access to the reverse link traffic channel comprises:
 - a means for determining a time that the demodulator will be available;
- a means for determining a time of transmission of a grant of access to the reverse link traffic channel based on the determined time of demodulator availability; and
- a means for generating an access grant based on the received communication resource access request and on the determined time of transmission of the access grant.
- 18. The communication device of claim 17, wherein the means for generating a grant of access to the reverse link traffic channel further comprises a means for determining a time that the demodulator will finish demodulating the received message.
- 19. The communication device of claim 17, wherein the means for generating a grant of access to the reverse link traffic channel further comprises a means for determining a time interval between the time that the demodulator will be available and the time that an access grant may be transmitted.
- 20. The communication device of claim 15, wherein the communication resource access request comprises a preamble and wherein the access request detector comprises a preamble detector capable of detecting the preamble.
- 21. The communication device of claim 15, wherein the access grant comprises an acknowledgment.
- 22. The method of claim 1, further comprising a step of determining an earliest time that a grant of access to the reverse link traffic channel can be conveyed to a mobile station and wherein transmitting comprises transmitting the grant of access to the mobile station at or after the determined earliest time.
- 23. The apparatus of claim 8, wherein the means for generating a grant of access to the communication channel comprises a means for determining an earliest time that a grant of

access to the reverse link traffic channel can be conveyed to a mobile station and wherein the apparatus further comprises a means for conveying the grant of access to the mobile station at or after the determined earliest time.

24. The communication device of claim 15, wherein the means for generating a grant of access to the communication channel comprises a means for determining an earliest time that a grant of access to the reverse link traffic channel can be conveyed to a mobile station and wherein the apparatus further comprises a means for conveying the grant of access to the mobile station at or after the determined earliest time.

RECEIVED - PATENT - CENTRAL FAX CENTER

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE JUL 0 5 2005

APPLICANT:

Vukovic et al.

EXAMINER: Perez, A.

SERIAL NO.:

09/886,642

ART UNIT: 2684

FILED:

06/21/01

CASE NO.:

CE08410R

ENTITLED:

METHOD AND APPARATUS FOR ALLOCATING A

COMMUNICATION RESOURCE IN A BROADBAND

COMMUNICATION SYSTEM

Motorola, Inc.
Comporate Offices
1303 E. Algonquin Road
Schaumburg, IL 60196
July 5, 2005

APPEAL BRIEF UNDER 37 CFR 1.192

Certificate of Transmission under 37 CFR 1.8

I hereby certify that this correspondence is being facsimile transmitted to the United States

Patent and Trademark Office.

Motorola, Inc.

Name of applicant, assignee, or Registered Representative Dale

Signature

Mail Stop Appeal Brief - Patents Commissioner of Patents P.O. Box 1450 Alexandria, Va. 22313-1450

Commissioner:

The appellants hereby respectfully submit the following Appeal Brief in response to a final Office Action dated January 26, 2005, and a Notice of Appeal filed May 3, 2005.

1. REAL PARTY IN INTEREST

The real party in interest in this appeal is Motorola, Inc.

2. RELATED APPEALS AND INTERFERENCES

There are no other appeals or interferences that will directly affect, or be directly affected by, or have a bearing on the Board's decision in this appeal.

3. STATUS OF CLAIMS

This is an appeal from a final Office Action, dated January 26, 2005. Claims 1-24 are appealed. In a first Office Action dated April 21, 2004, the Examiner rejected claims 1-21 under 35 U.S.C. §102(e) as being anticipated by Bender (U.S. patent no. 6,366,779). In an Amendment dated August 24, 2004, the appellants amended each of claims 1, 3-5, 8, 10-12, 15, and 17-19 and added new claims 22-24.

Claim 1, as amended, provides a method for allocating a communication resource that comprises a reverse link traffic channel in a broadband communication system, the method including receiving a communication resource access request at a time that data received via the reverse link traffic channel is currently being demodulated and, in response to receiving the communication resource access request, transmitting a grant of access to the reverse link traffic channel.

Claim 8, as amended, provides an apparatus for allocating a communication resource in a broadband communication system, wherein the communication resource comprises a reverse link traffic channel. The apparatus includes an access request detector that detects a receipt of a communication resource access request, a demodulator that is capable of demodulating messages received via the reverse link traffic channel, and a means for generating a grant of access to the reverse link traffic channel and the demodulator in response to reception of the communication resource access request, wherein the communication resource access request is received at a time that the demodulator is engaged in a demodulation of a message received via the reverse link traffic channel.

Claim 15, as amended, provides a communication device capable of operating in a broadband communication system. The communication device includes a receiver for receiving an communication resource access request, an access request detector coupled to the receiver that detects a receipt of the communication resource access request, a demodulator coupled to the receiver that is capable of demodulating messages received via a reverse link traffic channel, a means for generating a grant of access to the demodulator in response to reception of the communication resource access request, and a modulator for modulating the access grant onto a radio frequency signal to produce a modulated access grant, a transmitter for transmitting the modulated access grant, wherein the communication resource access request is received at a time that the demodulator is engaged in a demodulation of a message received via the reverse link traffic channel.

In a final Office Action dated January 26, 2005, the Examiner rejected claims 1-24 under 35 U.S.C. §103(a) as being upatentable over Bender in view of Willeneger (PCT International Publication No. WO 00/57663). No claims were allowed. The pending claims 1-24 are reproduced below in the attached Appendix.

4. STATUS OF AMENDMENTS

A Response to the Final Office Action was filed on April 28, 2005, and is currently pending. In the Response to the Final Office Action, the appellants responded to the Examiner's rejection of claims 1-24. The Response did not amend any claims. The appellants received an Advisory Action, dated May 23, 2005. The Advisory Action did not allow any of the claims.

5. SUMMARY OF INVENTION

The appellant's invention provides a method and apparatus for allocating a communication resource that includes a reverse link traffic channel in a broadband communication system. The communication resource that includes the reverse link traffic channel is allocated in response to a received communication resource access request, wherein the access request is received while a message received via the

communication channel is currently being demodulated. In response to receiving the request, a grant of access to the communication channel is generated and transmitted, which grant authorizes the source of the access request to use the communication channel. Thus the idle time of the base station demodulators of the prior art, wherein a preamble sent by a mobile station is not acknowledged by the base station until a demodulator is freed up to demodulate a new message, is reduced and system throughput and capacity is increased.

Claim 1, as amended, provides a method for allocating a communication resource that comprises a reverse link traffic channel in a broadband communication system. The method includes steps of receiving a communication resource access request at a time that data received via the reverse link traffic channel is currently being demodulated and, in response to receiving the communication resource access request, transmitting a grant of access to the reverse link traffic channel. (FIGs. 4 and 5; page 4, lines 22-27; page 7, line 1 to page 9, line 17; page 9, line 18 to page 12, line 7)

Claim 8, as amended, provides an apparatus for allocating a communication resource that includes a reverse link traffic channel in a broadband communication system. The apparatus includes an access request detector that detects a receipt of a communication resource access request, a demodulator that is capable of demodulating messages received via the reverse link traffic channel, and a means for generating a grant of access to the reverse link traffic channel and the demodulator in response to reception of the communication resource access request, wherein the communication resource access request is received at a time that the demodulator is engaged in a demodulation of a message received via the reverse link traffic channel. (FIGs. 3 and 4; page 5, lines 1-10; page 7, line 1 to page 9, line 17; page 9, line 18 to page 11, line 9)

Claim 15, as amended, provides a communication device that is capable of operating in a broadband communication system. The communication device includes a receiver for receiving an communication resource access request, an access request detector coupled to the receiver that detects a receipt of the communication resource access request, a demodulator coupled to the receiver that is capable of demodulating messages received via a reverse link traffic channel, a means for generating a grant of

access to the demodulator in response to reception of the communication resource access request, and a modulator for modulating the access grant onto a radio frequency signal to produce a modulated access grant, a transmitter for transmitting the modulated access grant, wherein the communication resource access request is received at a time that the demodulator is engaged in a demodulation of a message received via the reverse link traffic channel. (FIGs. 3 and 4; page 5, lines 11-23; page 7, line 1 to page 9, line 17; page 9, line 18 to page 11, line 9)

6. ISSUES

Whether claims 1, 8, and 15 are unpatentable under 35 U.S.C. §103(a) over Bender in view of Willeneger.

7. GROUPING OF CLAIMS

Appellants designate the following group of claims: Group I: claims 1-24.

8. ARGUMENT

(i) Rejection under 35 U.S.C. §112, first paragraph:

None

(ii) Rejection under 35 U.S.C. §112, second paragraph:

None

(iii) Rejection under 35 U.S.C. §102:

None

(iv) Rejection under 35 U.S.C. §103:

The Examiner rejected claim 1-21 under 35 U.S.C. §103(a) under 35 U.S.C. §103(a) as being upatentable over Bender in view of Willeneger. More specifically, with

respect to claims 1, 8, and 15, the Examiner contended that Bender teaches a method, apparatus, and device for allocating a communication resource comprising a reverse link channel (col. 4, lines 14-18), the method comprising receiving a communication resource access request at time that data received via the reverse link channel is currently being demodulated (col. 10, lines 3-16; the Examiner noting that this step is not actually taught but it is inherent that demodulation is occurring when the channel is being used by the mobile station (MS) while the base station (BS) is receiving an access probe) and, in response to receiving the communication resource access request, transmitting a grant of access to the reverse link channel (col. 10, lines 28-33). The Examiner further stated that Bender does not teach a reverse link traffic channel request in detail, but that Willeneger teaches a reverse link traffic channel being demodulated while receiving a reverse link traffic channel request and a grant of access to a reverse link traffic channel (page 11, lines 22-24; page 12, lines 17-22).

The appellants believe that the Examiner has misinterpreted both Bender and Willeneger. In col. 4, lines 14-18, Bender merely teaches an MS initiating a reverse link traffic channel assignment request by transmitting an access probe to a BS via a reverse link access channel. In col. 10, lines 3-16, Bender merely teaches that, after transmitting its probe, the MS may begin transmitting on a reverse link traffic channel identified the MS's Mobile Station Identifier (MSI) without first waiting for a traffic channel assignment. This reverse link traffic channel is defined by the MS's MSI. Since the MSI is unique to the MS, Bender assumes that the corresponding reverse link traffic channel will be uniquely allocated to the MS and therefore there is very little likelihood that any other MS will be using this reverse link traffic channel and dause a collision. In other words, Bender teaches a "pre-assignment" of a reverse link traffic channel uniquely to the MS (col. 4, lines 56-61). This has nothing to do with an assignment of the reverse link traffic channel by the BS in response to an access probe. That is, claims 1, 8, and 15 teach an expedited assignment of a reverse link traffic channel. By contrast, Bender teaches a pre-assignment of a reverse link traffic channel. These are two completely different approaches to call set up.

Willeneger is concerned with accessing an access channel and with providing power control via the access channel. That is, Willeneger teaches a splitting of an access probe into two parts, a request portion and a message portion. An MS seeking access to a communication system first transmits the request portion of the access probe, that is, an abbreviated and incomplete version of an access probe, via a reverse link control channel (R-CCCH). Power control, a typical access probe function that is performed prior to traffic channel assingnment, may not be performed based on the request portion of the access probe. In the first section of Willeneger cited by the Examiner (page 11, lines 22-24), in response to transmitting the request, the MS monitors a forward link control channel to determine if the MS is granted a reserved access channel for conveyance of the message portion of the access probe. That is, the referenced channel assignment message assigns an access channel, not a traffic channel. In fact, Willeneger specifically states that "[o]nce the mobile station is assigned a reserved access channel, the traffic channel assignment process can proceed in much the same manner as IS-95," that is, in a conventional manner. When the MS is granted a reserved access channel, the MS may then transmit the message portion of the access probe and engage in power control via preambles transmitted via the reserved access channel. In the other, second section of Willeneger cited by the Examiner (page 12, lines 17-22), Willeneger merely teaches that, after the BS grants an access channel to the MS and receives the message portion of the access probe, the BS demodulates the message portion.

In other words, Willeneger merely concerns an MS attempting to access an access channel so that the MS may then engage in power control via preambles transmitted via the access channel. Willeneger then assumes conventional traffic channel assignment. By contrast, claims 1, 8, and 15 assume that the MS can access the access channel and transmit a preamble and instead teach an expedited process for reverse link traffic channel assignment. Nowhere is this taught by, or even a concern of, Willeneger.

Therefore, neither Bender nor Willeneger, individually or in combination, teach the features of claims 1, 8, or 15 of receiving a communication resource access request at a time that data received via the reverse link traffic channel is currently being demodulated and, in response to receiving the communication resource access request,

transmitting a grant of access to the reverse link traffic channel. Again, in Bender, the reverse link traffic channel is freed up as it has been uniquely pre-assigned to the MS. Willeneger merely teaches conventional reverse link traffic channel assignment. Accordingly, the appellants respectfully request that claims 1, 8, and 15 are not unpatentable over the prior art of record.

Regarding dependent claims 2-7, 9-14, and 16-24, because claims 2-7 and 22 depend directly or indirectly from independent claim 1, claims 9-14 and 23 depend directly or indirectly from independent claim 8, and claims 16-21 and 24 depend directly or indirectly from independent claim 15, the appellants respectfully request that claims 2-7, 9-14, and 16-24 are not unpatentable over the prior art of record.

(v) Other rejections

None.

8. CONCLUSION

For the above reasons, the appellants respectfully submit that the rejection of claims 1-24 under 35 U.S.C. §103(a) as being upatentable over Bender in view of Willeneger is in error and should be reversed and the claims allowed.

Respectfully submitted,

Ivan Yukovic et al.

5y:__

Steven A. May

Attorney for Appellants

Registration No. 44,912

Tel. No.: 847/576-3635

Fax No.: 847/576-3750

APPENDIX

1. In a broadband communication system, a method for allocating a communication resource that comprises a reverse link traffic channel, the method comprising steps of:

receiving a communication resource access request at a time that data received via the reverse link traffic channel is currently being demodulated; and

in response to receiving the communication resource access request, transmitting a grant of access to the reverse link traffic channel.

- 2. The method of claim 1, wherein the access grant is transmitted prior to completion of the demodulation of the data.
- 3. The method of claim 1, wherein the step of transmitting a grant of access to the reverse link traffic channel comprises steps of:

determining a time that a demodulator will be available;

determining a time that a grant of access to the reverse link traffic channel can be transmitted based on the time that the demodulator will be available; and

transmitting an access grant based on the received request and on the determined time that the grant of access to the reverse link traffic channel can be transmitted.

- 4. The method of claim 3, wherein the step of transmitting a grant of access to the reverse link traffic channel further comprises a step of determining a time that the demodulator will finish demodulating the received message.
- 5. The method of claim 3, wherein the step of transmitting a grant of access to the reverse link traffic channel further comprises a step of determining a time interval between the time that the demodulator will be available and the time that an access grant can be transmitted.
- 6. The method of claim 1, wherein the communication resource access request is a preamble.

- 7. The method of claim 1, wherein the access grant is an acknowledgment.
- 8. An apparatus for allocating a communication resource in a broadband communication system, wherein the communication resource comprises a reverse link traffic channel, the apparatus comprising:

an access request detector that detects a receipt of a communication resource access request;

a demodulator that is capable of demodulating messages received via the reverse link traffic channel;

a means for generating a grant of access to the reverse link traffic channel and the demodulator in response to reception of the communication resource access request; and

wherein the communication resource access request is received at a time that the demodulator is engaged in a demodulation of a message received via the reverse link traffic channel.

- 9. The apparatus of claim 8, wherein the access grant is generated prior to completion of demodulation of the message.
- 10. The apparatus of claim 8, wherein the a means for generating a grant of access to the reverse link traffic channel comprises:
 - a means for determining a time that the demodulator will be available;
- a means for determining a time of transmission of a grant of access to the reverse link traffic channel based on the determined time of demodulator availability; and
- a means for generating an access grant based on the received communication resource access request and on the determined time of transmission of the access grant.
- 11. The apparatus of claim 10, wherein the means for generating a grant of access to the reverse link traffic channel further comprises a means for determining a time that the demodulator will finish demodulating the received message.

- 12. The apparatus of claim 10, wherein the means for generating a grant of access to the reverse link traffic channel further comprises a means for determining a time interval between the time that the demodulator will be available and the time that an access grant may be transmitted.
- 13. The apparatus of claim 8, wherein the access grant comprises an acknowledgment.
- 14. The apparatus of claim 8, wherein the communication resource access request comprises a preamble and wherein the access request detector comprises a preamble detector that detects a preamble in a received signal.
- 15. A communication device capable of operating in a broadband communication system, the communication device comprising:
 - a receiver for receiving an communication resource access request;
- an access request detector coupled to the receiver that detects a receipt of the communication resource access request;
- a demodulator coupled to the receiver that is capable of demodulating messages received via a reverse link traffic channel;
- a means for generating a grant of access to the demodulator in response to reception of the communication resource access request;
- a modulator for modulating the access grant onto a radio frequency signal to produce a modulated access grant;
 - a transmitter for transmitting the modulated access grant; and
- wherein the communication resource access request is received at a time that the demodulator is engaged in a demodulation of a message received via the reverse link traffic channel.
- 16. The communication device of claim 15, wherein the access grant is generated when the demodulator is engaged in a demodulation of an already received message.

- 17. The communication device of claim 15, wherein the a means for generating a grant of access to the reverse link traffic channel comprises:
 - a means for determining a time that the demodulator will be available;
- a means for determining a time of transmission of a grant of access to the reverse link traffic channel based on the determined time of demodulator availability; and
- a means for generating an access grant based on the received communication resource access request and on the determined time of transmission of the access grant.
- 18. The communication device of claim 17, wherein the means for generating a grant of access to the reverse link traffic channel further comprises a means for determining a time that the demodulator will finish demodulating the received message.
- 19. The communication device of claim 17, wherein the means for generating a grant of access to the reverse link traffic channel further comprises a means for determining a time interval between the time that the demodulator will be available and the time that an access grant may be transmitted.
- 20. The communication device of claim 15, wherein the communication resource access request comprises a preamble and wherein the access request detector comprises a preamble detector capable of detecting the preamble.
- 21. The communication device of claim 15, wherein the access grant comprises an acknowledgment.
- 22. The method of claim 1, further comprising a step of determining an earliest time that a grant of access to the reverse link traffic channel can be conveyed to a mobile station and wherein transmitting comprises transmitting the grant of access to the mobile station at or after the determined earliest time.
- 23. The apparatus of claim 8, wherein the means for generating a grant of access to the communication channel comprises a means for determining an earliest time that a grant of

access to the reverse link traffic channel can be conveyed to a mobile station and wherein the apparatus further comprises a means for conveying the grant of access to the mobile station at or after the determined earliest time.

24. The communication device of claim 15, wherein the means for generating a grant of access to the communication channel comprises a means for determining an earliest time that a grant of access to the reverse link traffic channel can be conveyed to a mobile station and wherein the apparatus further comprises a means for conveying the grant of access to the mobile station at or after the determined earliest time.

- PATENT -

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT:

Vukovic et al.

EXAMINER: Perez, A.

SERIAL NO.:

09/886,642

ART UNIT: 2684

FILED:

06/21/01

CASE NO.:

CE08410R

ENTITLED:

METHOD AND APPARATUS FOR ALLOCATING A COMMUNICATION RESOURCE IN A BROADBAND

COMMUNICATION SYSTEM

Motorola, Inc.
Corporate Offices
1303 E. Algonquin Road
Schaumburg, IL 60196
July 5, 2005

APPEAL BRIEF UNDER 37 CFR 1.192

Mail Stop Appeal Brief - Patents Commissioner of Patents P.O. Box 1450 Alexandria, Va. 22313-1450

Commissioner:

The appellants hereby respectfully submit the following Appeal Brief in response to a final Office Action dated January 26, 2005, and a Notice of Appeal filed May 3, 2005.

1. REAL PARTY IN INTEREST

The real party in interest in this appeal is Motorola, Inc.

2. RELATED APPEALS AND INTERFERENCES

There are no other appeals or interferences that will directly affect, or be directly affected by, or have a bearing on the Board's decision in this appeal.

3. STATUS OF CLAIMS

This is an appeal from a final Office Action, dated January 26, 2005. Claims 1-24 are appealed. In a first Office Action dated April 21, 2004, the Examiner rejected claims 1-21 under 35 U.S.C. §102(e) as being anticipated by Bender (U.S. patent no. 6,366,779). In an Amendment dated August 24, 2004, the appellants amended each of claims 1, 3-5, 8, 10-12, 15, and 17-19 and added new claims 22-24.

Claim 1, as amended, provides a method for allocating a communication resource that comprises a reverse link traffic channel in a broadband communication system, the method including receiving a communication resource access request at a time that data received via the reverse link traffic channel is currently being demodulated and, in response to receiving the communication resource access request, transmitting a grant of access to the reverse link traffic channel.

Claim 8, as amended, provides an apparatus for allocating a communication resource in a broadband communication system, wherein the communication resource comprises a reverse link traffic channel. The apparatus includes an access request detector that detects a receipt of a communication resource access request, a demodulator that is capable of demodulating messages received via the reverse link traffic channel, and a means for generating a grant of access to the reverse link traffic channel and the demodulator in response to reception of the communication resource access request, wherein the communication resource access request is received at a time that the demodulator is engaged in a demodulation of a message received via the reverse link traffic channel.

Claim 15, as amended, provides a communication device capable of operating in a broadband communication system. The communication device includes a receiver for receiving an communication resource access request, an access request detector coupled to the receiver that detects a receipt of the communication resource access request, a demodulator coupled to the receiver that is capable of demodulating messages received via a reverse link traffic channel, a means for generating a grant of access to the demodulator in response to reception of the communication resource access request, and a modulator for modulating the access grant onto a radio frequency signal to produce a modulated access grant, a transmitter for transmitting the modulated access grant, wherein the communication resource access request is received at a time that the demodulator is engaged in a demodulation of a message received via the reverse link traffic channel.

In a final Office Action dated January 26, 2005, the Examiner rejected claims 1-24 under 35 U.S.C. §103(a) as being upatentable over Bender in view of Willeneger (PCT International Publication No. WO 00/57663). No claims were allowed. The pending claims 1-24 are reproduced below in the attached Appendix.

4. STATUS OF AMENDMENTS

A Response to the Final Office Action was filed on April 28, 2005, and is currently pending. In the Response to the Final Office Action, the appellants responded to the Examiner's rejection of claims 1-24. The Response did not amend any claims. The appellants received an Advisory Action, dated May 23, 2005. The Advisory Action did not allow any of the claims.

5. SUMMARY OF INVENTION

The appellant's invention provides a method and apparatus for allocating a communication resource that includes a reverse link traffic channel in a broadband communication system. The communication resource that includes the reverse link traffic channel is allocated in response to a received communication resource access request, wherein the access request is received while a message received via the

communication channel is currently being demodulated. In response to receiving the request, a grant of access to the communication channel is generated and transmitted, which grant authorizes the source of the access request to use the communication channel. Thus the idle time of the base station demodulators of the prior art, wherein a preamble sent by a mobile station is not acknowledged by the base station until a demodulator is freed up to demodulate a new message, is reduced and system throughput and capacity is increased.

Claim 1, as amended, provides a method for allocating a communication resource that comprises a reverse link traffic channel in a broadband communication system. The method includes steps of receiving a communication resource access request at a time that data received via the reverse link traffic channel is currently being demodulated and, in response to receiving the communication resource access request, transmitting a grant of access to the reverse link traffic channel. (FIGs. 4 and 5; page 4, lines 22-27; page 7, line 1 to page 9, line 17; page 9, line 18 to page 12, line 7)

Claim 8, as amended, provides an apparatus for allocating a communication resource that includes a reverse link traffic channel in a broadband communication system. The apparatus includes an access request detector that detects a receipt of a communication resource access request, a demodulator that is capable of demodulating messages received via the reverse link traffic channel, and a means for generating a grant of access to the reverse link traffic channel and the demodulator in response to reception of the communication resource access request, wherein the communication resource access request is received at a time that the demodulator is engaged in a demodulation of a message received via the reverse link traffic channel. (FIGs. 3 and 4; page 5, lines 1-10; page 7, line 1 to page 9, line 17; page 9, line 18 to page 11, line 9)

Claim 15, as amended, provides a communication device that is capable of operating in a broadband communication system. The communication device includes a receiver for receiving an communication resource access request, an access request detector coupled to the receiver that detects a receipt of the communication resource access request, a demodulator coupled to the receiver that is capable of demodulating messages received via a reverse link traffic channel, a means for generating a grant of

access to the demodulator in response to reception of the communication resource access request, and a modulator for modulating the access grant onto a radio frequency signal to produce a modulated access grant, a transmitter for transmitting the modulated access grant, wherein the communication resource access request is received at a time that the demodulator is engaged in a demodulation of a message received via the reverse link traffic channel. (FIGs. 3 and 4; page 5, lines 11-23; page 7, line 1 to page 9, line 17; page 9, line 18 to page 11, line 9)

6. ISSUES

Whether claims 1, 8, and 15 are unpatentable under 35 U.S.C. §103(a) over Bender in view of Willeneger.

GROUPING OF CLAIMS

Appellants designate the following group of claims: Group I: claims 1-24.

8. ARGUMENT

(i) Rejection under 35 U.S.C. §112, first paragraph:

None

(ii) Rejection under 35 U.S.C. §112, second paragraph:

None

(iii) Rejection under 35 U.S.C. §102:

None

(iv) Rejection under 35 U.S.C. §103:

The Examiner rejected claim 1-21 under 35 U.S.C. §103(a) under 35 U.S.C. §103(a) as being upatentable over Bender in view of Willeneger. More specifically, with

respect to claims 1, 8, and 15, the Examiner contended that Bender teaches a method, apparatus, and device for allocating a communication resource comprising a reverse link channel (col. 4, lines 14-18), the method comprising receiving a communication resource access request at time that data received via the reverse link channel is currently being demodulated (col. 10, lines 3-16; the Examiner noting that this step is not actually taught but it is inherent that demodulation is occurring when the channel is being used by the mobile station (MS) while the base station (BS) is receiving an access probe) and, in response to receiving the communication resource access request, transmitting a grant of access to the reverse link channel (col. 10, lines 28-33). The Examiner further stated that Bender does not teach a reverse link traffic channel request in detail, but that Willeneger teaches a reverse link traffic channel being demodulated while receiving a reverse link traffic channel request and a grant of access to a reverse link traffic channel (page 11, lines 22-24; page 12, lines 17-22).

The appellants believe that the Examiner has misinterpreted both Bender and Willeneger. In col. 4, lines 14-18, Bender merely teaches an MS initiating a reverse link traffic channel assignment request by transmitting an access probe to a BS via a reverse link access channel. In col. 10, lines 3-16, Bender merely teaches that, after transmitting its probe, the MS may begin transmitting on a reverse link traffic channel identified the MS's Mobile Station Identifier (MSI) without first waiting for a traffic channel assignment. This reverse link traffic channel is defined by the MS's MSI. Since the MSI is unique to the MS, Bender assumes that the corresponding reverse link traffic channel will be uniquely allocated to the MS and therefore there is very little likelihood that any other MS will be using this reverse link traffic channel and cause a collision. In other words, Bender teaches a "pre-assignment" of a reverse link traffic channel uniquely to the MS (col. 4, lines 56-61). This has nothing to do with an assignment of the reverse link traffic channel by the BS in response to an access probe. That is, claims 1, 8, and 15 teach an expedited assignment of a reverse link traffic channel. By contrast, Bender teaches a pre-assignment of a reverse link traffic channel. These are two completely different approaches to call set up.

Willeneger is concerned with accessing an access channel and with providing power control via the access channel. That is, Willeneger teaches a splitting of an access probe into two parts, a request portion and a message portion. An MS seeking access to a communication system first transmits the request portion of the access probe, that is, an abbreviated and incomplete version of an access probe, via a reverse link control channel (R-CCCH). Power control, a typical access probe function that is performed prior to traffic channel assingnment, may not be performed based on the request portion of the access probe. In the first section of Willeneger cited by the Examiner (page 11, lines 22-24), in response to transmitting the request, the MS monitors a forward link control channel to determine if the MS is granted a reserved access channel for conveyance of the message portion of the access probe. That is, the referenced channel assignment message assigns an access channel, not a traffic channel. In fact, Willeneger specifically states that "[o]nce the mobile station is assigned a reserved access channel, the traffic channel assignment process can proceed in much the same manner as IS-95," that is, in a conventional manner. When the MS is granted a reserved access channel, the MS may then transmit the message portion of the access probe and engage in power control via preambles transmitted via the reserved access channel. In the other, second section of Willeneger cited by the Examiner (page 12, lines 17-22), Willeneger merely teaches that, after the BS grants an access channel to the MS and receives the message portion of the access probe, the BS demodulates the message portion.

In other words, Willeneger merely concerns an MS attempting to access an access channel so that the MS may then engage in power control via preambles transmitted via the access channel. Willeneger then assumes conventional traffic channel assignment. By contrast, claims 1, 8, and 15 assume that the MS can access the access channel and transmit a preamble and instead teach an expedited process for reverse link traffic channel assignment. Nowhere is this taught by, or even a concern of, Willeneger.

Therefore, neither Bender nor Willeneger, individually or in combination, teach the features of claims 1, 8, or 15 of receiving a communication resource access request at a time that data received via the reverse link traffic channel is currently being demodulated and, in response to receiving the communication resource access request, transmitting a grant of access to the reverse link traffic channel. Again, in Bender, the reverse link traffic channel is freed up as it has been uniquely pre-assigned to the MS. Willeneger merely teaches conventional reverse link traffic channel assignment. Accordingly, the appellants respectfully request that claims 1, 8, and 15 are not unpatentable over the prior art of record.

Regarding dependent claims 2-7, 9-14, and 16-24, because claims 2-7 and 22 depend directly or indirectly from independent claim 1, claims 9-14 and 23 depend directly or indirectly from independent claim 8, and claims 16-21 and 24 depend directly or indirectly from independent claim 15, the appellants respectfully request that claims 2-7, 9-14, and 16-24 are not unpatentable over the prior art of record.

(v) Other rejections

None.

8. CONCLUSION

For the above reasons, the appellants respectfully submit that the rejection of claims 1-24 under 35 U.S.C. §103(a) as being upatentable over Bender in view of Willeneger is in error and should be reversed and the claims allowed.

Respectfully submitted,

Ivan Yukovic et al.

*·/-

Steven A. May

Attorney for Appellants Registration No. 44,912

Tel. No.: 847/576-3635 Fax No.: 847/576-3750

APPENDIX

1. In a broadband communication system, a method for allocating a communication resource that comprises a reverse link traffic channel, the method comprising steps of:

receiving a communication resource access request at a time that data received via the reverse link traffic channel is currently being demodulated; and

in response to receiving the communication resource access request, transmitting a grant of access to the reverse link traffic channel.

- 2. The method of claim 1, wherein the access grant is transmitted prior to completion of the demodulation of the data.
- 3. The method of claim 1, wherein the step of transmitting a grant of access to the reverse link traffic channel comprises steps of:

determining a time that a demodulator will be available;

determining a time that a grant of access to the reverse link traffic channel can be transmitted based on the time that the demodulator will be available; and

transmitting an access grant based on the received request and on the determined time that the grant of access to the reverse link traffic channel can be transmitted.

- 4. The method of claim 3, wherein the step of transmitting a grant of access to the reverse link traffic channel further comprises a step of determining a time that the demodulator will finish demodulating the received message.
- 5. The method of claim 3, wherein the step of transmitting a grant of access to the reverse link traffic channel further comprises a step of determining a time interval between the time that the demodulator will be available and the time that an access grant can be transmitted.
- 6. The method of claim 1, wherein the communication resource access request is a preamble.

- 7. The method of claim 1, wherein the access grant is an acknowledgment.
- 8. An apparatus for allocating a communication resource in a broadband communication system, wherein the communication resource comprises a reverse link traffic channel, the apparatus comprising:

an access request detector that detects a receipt of a communication resource access request:

a demodulator that is capable of demodulating messages received via the reverse link traffic channel;

a means for generating a grant of access to the reverse link traffic channel and the demodulator in response to reception of the communication resource access request; and

wherein the communication resource access request is received at a time that the demodulator is engaged in a demodulation of a message received via the reverse link traffic channel.

- 9. The apparatus of claim 8, wherein the access grant is generated prior to completion of demodulation of the message.
- 10. The apparatus of claim 8, wherein the a means for generating a grant of access to the reverse link traffic channel comprises:

a means for determining a time that the demodulator will be available;

a means for determining a time of transmission of a grant of access to the reverse link traffic channel based on the determined time of demodulator availability; and

a means for generating an access grant based on the received communication resource access request and on the determined time of transmission of the access grant.

11. The apparatus of claim 10, wherein the means for generating a grant of access to the reverse link traffic channel further comprises a means for determining a time that the demodulator will finish demodulating the received message.

- 12. The apparatus of claim 10, wherein the means for generating a grant of access to the reverse link traffic channel further comprises a means for determining a time interval between the time that the demodulator will be available and the time that an access grant may be transmitted.
- 13. The apparatus of claim 8, wherein the access grant comprises an acknowledgment.
- 14. The apparatus of claim 8, wherein the communication resource access request comprises a preamble and wherein the access request detector comprises a preamble detector that detects a preamble in a received signal.
- 15. A communication device capable of operating in a broadband communication system, the communication device comprising:
 - a receiver for receiving an communication resource access request;
- an access request detector coupled to the receiver that detects a receipt of the communication resource access request;
- a demodulator coupled to the receiver that is capable of demodulating messages received via a reverse link traffic channel;
- a means for generating a grant of access to the demodulator in response to reception of the communication resource access request;
- a modulator for modulating the access grant onto a radio frequency signal to produce a modulated access grant;
 - a transmitter for transmitting the modulated access grant; and
- wherein the communication resource access request is received at a time that the demodulator is engaged in a demodulation of a message received via the reverse link traffic channel.
- 16. The communication device of claim 15, wherein the access grant is generated when the demodulator is engaged in a demodulation of an already received message.

- 17. The communication device of claim 15, wherein the a means for generating a grant of access to the reverse link traffic channel comprises:
 - a means for determining a time that the demodulator will be available;
- a means for determining a time of transmission of a grant of access to the reverse link traffic channel based on the determined time of demodulator availability; and
- a means for generating an access grant based on the received communication resource access request and on the determined time of transmission of the access grant.
- 18. The communication device of claim 17, wherein the means for generating a grant of access to the reverse link traffic channel further comprises a means for determining a time that the demodulator will finish demodulating the received message.
- 19. The communication device of claim 17, wherein the means for generating a grant of access to the reverse link traffic channel further comprises a means for determining a time interval between the time that the demodulator will be available and the time that an access grant may be transmitted.
- 20. The communication device of claim 15, wherein the communication resource access request comprises a preamble and wherein the access request detector comprises a preamble detector capable of detecting the preamble.
- 21. The communication device of claim 15, wherein the access grant comprises an acknowledgment.
- 22. The method of claim 1, further comprising a step of determining an earliest time that a grant of access to the reverse link traffic channel can be conveyed to a mobile station and wherein transmitting comprises transmitting the grant of access to the mobile station at or after the determined earliest time.
- 23. The apparatus of claim 8, wherein the means for generating a grant of access to the communication channel comprises a means for determining an earliest time that a grant of

access to the reverse link traffic channel can be conveyed to a mobile station and wherein the apparatus further comprises a means for conveying the grant of access to the mobile station at or after the determined earliest time.

24. The communication device of claim 15, wherein the means for generating a grant of access to the communication channel comprises a means for determining an earliest time that a grant of access to the reverse link traffic channel can be conveyed to a mobile station and wherein the apparatus further comprises a means for conveying the grant of access to the mobile station at or after the determined earliest time.

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER: ___

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.